



CERTIFICATE OF APPROPRIATENESS
APPLICATION FORM FOR PROPERTIES IN THE
THIENSVILLE HISTORIC DISTRICT

Applicant: Jori Azinger

Name of Business: Heart Space

Street Address: 163 Green Bay Rd City: Thiensville State: WI Zip: 53092

Home Phone: — Cell Phone: 262-302-6521 Business Phone: 262-242-6521

Email: jori2017@icloud.com

Property Owner: Jori Azinger

Mailing Address: 163 Green Bay Rd

City: Thiensville State: WI Zip: 53092

Contact Phone Number: 262-242-6521

Description of Project: Window Replacement

Material, color and impact on existing feature: (INCLUDE COLOR SAMPLES) and photos or sketches and include specifications.

Vinyl, white. Impact: Using 'Window World' with life time warranties, I can accomplish twice (more than twice) the (over)

Proposed Sign(s): Wall Monument/Ground Pole Projecting Marquee, Awning or Canopy

Sandwich Board Directional Sign (Please attach 9 copies of colored sign for HPC including size dimensions, material, and placement of sign)

Signature of Applicant: [Signature] Date: 4-9-20
Print Name _____



Thiensville Historic Preservation Commission: Project Approved Project Not Approved

Commission Signature: _____ Date: _____

(Comments/Stipulations from HPC): _____

number of replacements. This is with going with their top quality. As I'm borrowing funds for this project my banker suggested checking with Window World.

lower

Good

upper

Full screen 200
 4 DH 1466
 4 lead 120
 4 trim 400
 20-101 100
 D's 175

Fullscreen 250
 5 DH 1825
 5 lead 150
 5 trim 500
 0-101
 20-101 100
 D's

2297

2825

Butter + 260

+ 325

2557

3150

White/White

Both are energy star Rated.

Includes Full install + Tax

Homeowner is responsible for permits

Window World

Vinyl Replacement Windows • Doors
Free Estimates • Licensed • Insured

Proudly Serving Fond du Lac and Madison Areas

Marvin Gahagan
Sales

1-800-NEXT-WINDOW
mgahagan@windowworldfdl.com

Cell: (414) 406-7843
www.WindowWorld.com

Best-in-Class Features:

- 1 Welded, heavy-duty vinyl construction provides superior strength and durability while multiple hollow chambers in the mainframe create sealed air spaces for an effective insulating barrier.
- 2 High-density foam is available throughout the mainframe of the double-hung to enhance structural and thermal performance.
- 3 The beveled exterior edge adds style and curb appeal to an already sleek design.
- 4 Dual- and triple-pane insulating glass creates a sealed air space between the panes that is enhanced by our Duralite® warm-edge spacer system.
- 5 Metal reinforcements at the meeting rail add further stability.
- 6 Recessed, opposing cam locks secure your window without interrupting sight lines.
- 7 Heavy-duty weatherstripping and interlocking sashes help to keep weather and wind outside.
- 8 Recessed tilt latches can be released to tilt both top and bottom sashes into the home for easy cleaning.
- 9 Balance channel covers help achieve a polished look.
- 10 Push-button vent latches allow for optimal ventilation while giving you added peace of mind.
- 11 Welded combination sill featuring a deflection leg enhances rigidity and a five-degree slope directs water away from the home and eliminates unsightly weep holes.
- 12 Full-length, integrated ergonomic lift rails provide convenient, easy operation. Bevel on bottom rail makes gripping easy.
- 13 Detent clip keeps the top sash from drifting while an inverted-coil balance system ensures both sashes will stay where you put them, no matter the position.
- 14 An easily removable latching half screen gives you the freedom to let air in while keeping pests out. Featuring Clarity® mesh, the screen allows you to focus on what's important: the view.
- 15 Series consists of double-hung, double sliding, casement, awning, basement, bay and bow, picture, and architectural shape windows.

Double Sliding Window Features:

- Heavy-duty tandem rollers ensure easy, consistent operation.
- Two- or three-panel configurations are available.

Energy-Saving Glass Packages:

Our SolarZone™ insulated glass packages help you save on heating and cooling costs while also keeping your home more comfortable. In warm weather, SolarZone reduces solar heat gain, minimizes interior glare, and lowers inside glass temperature to save energy and keep you cool. In cold weather, SolarZone helps to control the heat inside your home by providing thermal protection that keeps the inside glass panel warmer.

Good

THERMAL PERFORMANCE COMPARISON¹

	DOUBLE-HUNG		SLIDING	
	U-FACTOR	SHGC	U-FACTOR	SHGC
Clear Glass	0.44	0.57	0.44	0.57
SolarZone	0.27	0.28	0.27	0.27
SolarZone w/ Foam	0.27	0.28	N/A	N/A
SolarZone Elite	0.27	0.21	0.27	0.20
SolarZone Elite w/ Foam	0.26	0.21	N/A	N/A
SolarZone TG	0.22	0.25	0.21	0.23
SolarZone Sunshield	0.28	0.13	0.28	0.13
SolarZone w/ Blinds	0.36	0.23	N/A	N/A
SolarZone w/ Foam & Blinds	0.35	0.23	N/A	N/A

Clear Glass: Dual-pane, double-strength glass with warm-edge spacer system

SolarZone: Dual-pane, double-strength glass with Low-E coating, argon enhancement, and Duralite® warm-edge spacer system



SolarZone Elite: Dual-pane, double-strength glass with HP Low-E coating, argon enhancement, and Duralite® warm-edge spacer system

SolarZone TG: Triple-pane, single-strength glass with warm-edge spacer system, two coatings of Low-E, and argon enhancement

SolarZone Sunshield: Dual-pane, double-strength glass with LoE3-340 coating, argon enhancement, and warm-edge spacer system

SolarZone w/ Blinds: Dual-pane, double-strength glass with Low-E coating, warm-edge spacer system, and blinds-between-the-glass

Foam Enhancement: Foam enhancement is injected into the mainframe of the window, providing increased thermal performance



*Foam-enhanced mainframe and triple-pane glass are optional upgrades on the 4000 series double-hung and picture window. If foam and triple-pane are both desired, you will receive the 6000 series.

1: Window values are based on standard 4000 Series offering. Values vary depending on grids and optional glass thicknesses upgrades (1/4" laminated, 1/8" tempered, 3/16" decorative glass etc) STC and HP performance values are also available. SolarZone for products with blinds-between-the-glass does not contain argon gas

Better